



Specifications

Available Colors



Interior Dimensions	L8.4" x W6.0" x H3.7" L213 x W152 x H94 mm	Lid Depth	0.8" 20 mm
Exterior Dimensions	L10.2" x W7.9" x H4.5" L259 x W201 x H114 mm	Base Depth	2.9" 74 mm
Weight (empty)	1.6 lb 0.7 kg	Temperature Range	Min -67°F (-55°C) Max 158°F (70°C)
Volume	3.1L	Max Buoyancy	7.0 lb 3.3 kg

Perfect to organize, protect and carry your most important smaller gear, the NANUK 904 waterproof hard case is impenetrable and indestructible with a lightweight, tough resin shell and double side-mounted PowerClaw superior latching system. Waterproof, dustproof, and indestructible, the NANUK 904 is ideal for batteries, lenses, smartphones, flash drives, hard drives, cameras, microphone systems, small pistols, medical devices, first aid kits, emergency gear, sensitive instruments, electronic equipment or any other smaller personal or professional equipment that might need superior protection.

CERTIFICATIONS



DEF-STAN 81-41

Dry Heat / Low Temp
Vibration / Water Spray-Rain
Impact-Drop



MIL-STD-810H

Fungus



IP67

Dustproof
Waterproof



**Specifications
ATA 300**

Category 1
Impact Test



**LIFETIME
WARRANTY**



**MILITARY
APPROVED**



**MADE IN
CANADA**

Standard Features

1. Powerclaw Superior Latching System
2. Waterproof IP67 Rated
3. Impact Resistant NK-7 Resin
4. Padlockable
5. Stackable
6. Molded-in Bezel System
7. Soft Grip Handle
8. Automatic Pressure Release Valve
9. Integrated Lid Stay
10. 100% Stainless Steel Hardware



Options Available



Empty



Cubed Foam & Eggshell

Accessories Available



Cubed Foam



Nanuk TSA Padlock



Desiccant Container



AirTag Holder

UPC Code	Item Number	Description
666365009395	904S-000BK-0A0	904 Nanuk Case - Black
666365011510	904S-000LI-0A0	904 Nanuk Case - Lime
666365009401	904S-000OR-0A0	904 Nanuk Case - Orange
666365009418	904S-000YL-0A0	904 Nanuk Case - Yellow
666365009449	904S-000GP-0A0	904 Nanuk Case - Graphite
666365011527	904S-000BL-0A0	904 Nanuk Case - Blue
666365011534	904S-000RD-0A0	904 Nanuk Case - Red