
# NANUS



LINE REFERENCE BROCHURE

### LINE REFERENCE - SPECIFICATIONS

	Interior Dimensions	Exterior Dimensions	Weight Empty	Colors	Baggage	Retractable Handle	Wheels
Personal Util	ity Cases						
225	L6.0" × W3.5" × H1.6" L151mm × W89mm × H40mm	L6.7" × W4.7" × H2.0" L169mm × W119mm × H51mm	0.45 lb 0.20 kg	•	Carry-on		
310	L5.2" × W3.0" × H1.1" L131mm × W77mm × H28mm	L5.9" × W4.3" × H1.7" L149mm × W110mm × H43mm	0.56 lb 0.26 kg	••	Carry-on		
320	L5.9" × W3.3" × H1.5" L151mm × W85mm × H39mm	L6.3" × W4.7" × H2.2" L161mm × W118mm × H55mm	0.77 lb 0.35 kg	• • • •	Carry-on		
330	L6.7" × W3.8" × H1.9" L170mm × W96mm × H49mm	L7.4" × W5.1" × H2.6" L188mm × W130mm × H65mm	1.00 lb 0.45 kg	••	Carry-on		
Small Cases							
903	L7.4" × W4.9" × H3.1" L188mm × W124mm × H79mm	L9.1" × W6.8" × H3.8" L231mm × W173mm × H97mm	1.3 lb 0.6 kg	••••	Carry-on		
904 🕟	L8.4" × W6.0" × H3.7" L213mm × W152mm × H94mm	L10.2" × W7.9" × H4.5" L259mm × W201mm × H114mm	1.6 lb 0.7 kg	****	Carry-on		
905	L9.4" × W7.4" × H5.5" L239mm × W188mm × H140mm	L12.5" × W10.1" × H6.0" L318mm × W257mm × H152mm	3.0 lb 1.4 kg	•	Carry-on		
908	L9.5" × W7.5" × H7.5" L241mm × W190mm × H190mm	L12.5" × W9.8" × H8.0" L318mm × W249mm × H203mm	3.6 lb 1.6 kg	•••	Carry-on		
909 🕟	L11.4" × W7.0" × H3.7" L291mm × W178mm × H93mm	L12.6" × W9.0" × H4.4" L321mm × W229mm × H111mm	2.1 lb 1.0 kg	••••	Carry-on		
Medium Cas	es		*	p.	*	· · · · · · · · · · · · · · · · · · ·	
910 🕟	L13.2" × W9.2" × H4.1" L336mm × W234mm × H104mm	L14.3" × W11.1" × H4.7" L363mm × W282mm × H120mm	3.0 lb 1.4 kg	*****	Carry-on		
915	L13.8" × W9.3" × H6.2" L351mm × W236mm × H157mm	L15.8" × W12.1" × H6.8" L401mm × W307mm × H173mm	4.4 lb 2.0 kg	••••	Carry-on		
918	L14.9" × W9.8" × H8.6" L378 mm × W249 mm × H218 mm	L16.9" × W12.9" × H9.3" L429 mm × W328 mm × H236 mm	6.4 lb 2.9 kg	•••	Carry-on		
920	L15.0" × W10.5" × H6.2" L381mm × W267mm × H157mm	L16.7" × W13.4" × H6.8" L424mm × W340mm × H173mm	5.1 lb 2.3 kg	•••	Carry-on		
923	L16.7" × W11.3" × H5.4" L422 mm × W287 mm × H137 mm	L18.6" × W14.4" × H6.3" L472 mm × W366 mm × H160 mm	6.0 lb 2.7 kg	••••	Carry-on		
925	L17.0" × W11.8" × H6.4" L432mm × W300mm × H163mm	L18.7" × W14.8" × H7.0" L475mm × W376mm × H178mm	6.2 lb 2.8 kg	•••••	Carry-on		
930	L18.0" × W13.0" × H6.9" L457mm × W330mm × H175mm	L19.8" × W16.0" × H7.6" L503mm × W406mm × H193mm	7.1 lb 3.2 kg	••••	Carry-on		
			***		W 1		
Large Cases							
933	L18.0" × W13.0" × H9.5" L457mm × W330mm × H241mm	L19.9" × W16.1" × H10.1" L505mm × W409mm × H257mm	8.0 lb 3.6 kg	•••	Checked		
935 🕟	L20.5" × W11.3" × H7.5" L521mm × W287mm × H191mm	L22.0" × W14.0" × H9.0" L559mm × W356mm × H229mm	11.6 lb 5.3 kg	****	Carry-on <sup>1</sup>	•	•
938	L21.5" × W12.5" × H11.6" L546mm × W318mm × H294mm	L23.8" × W15.5" × H13.2" L605mm × W394mm × H336mm	14.7 lb 6.7 kg	••	Checked	•	•
940	L20.0" × W14.0" × H8.0" L508mm × W356mm × H203mm	L21.7" × W16.9" × H8.5" L557mm × W429mm × H216mm	8.4 lb 3.8 kg	••••	Checked		
945	L22.0" × W17.0" × H8.2" L559mm × W432mm × H208mm	L25.1" × W19.9" × H8.8" L638mm × W505mm × H224mm	10.6 lb 4.8 kg	••••	Checked		
950	L20.5" × W15.3" × H10.1" L521mm × W389mm × H257mm	L22.8" × W18.3" × H11.7" L579mm × W465mm × H297mm	15.1 lb 6.8 kg	••••	Checked	•	•
955 R	L22.0" × W17.0" × H10.2" L559mm × W432mm × H259mm	L25.6" × W20.0" × H11.8" L650mm × W508mm × H300mm	18.2 lb 8.2 kg	•	Checked	•	•



#### ACCESSORIES 903 - 955

	24 x 200 <sup>2</sup>	ainer
are / a /	Childs The County of State of	of / conti / xxit
Polyustinger lid Oldarites the lid to a	de Drider Rome Chit	Desicont Contains
Soldier lies 19 Odger the light Sold	ded II. Safet Beit Worth Est Suddets bitols Hill	CICCO SOLM
4 to 1 10 1 to 18 1 de	/ 12 / May / Sho / My	000 601

903	•				0		0	0	IG
904	•				•				IG
905	•	0		0	•	0			IG
908	•	0	•		•	0			IG
909		•			•		•	•	IG

910	•				•	0	•	0	IG
915	•	•	•		•		•	•	IG
918	•		•		•	0	•		IG
920	•	•	•	•	•		•		IG
923	•	•	•	IN	•	0	•	•	IG
925	•		•	•	•		•		IG
930		•	•	0	•	0	•	•	IG

933	•	0		0	0	0	0	0	.0	IG
935		0		•	•	•	0	•	•	IG
938	0	0		•	0				0	IG
940	•	•	0	•		•	•	•	•	IG
945	•	0	0	•	0	•	0		•	IG
950	•			•	0	•			0	IG
955	•	0		•	0	•		•	0	IG
	3.5									

IN = Included, IG = Integrated

# EXCLUSIVE ACCESSORIES

#### Nanuk 935

Mesh Lid Organizer\*



MOLLE System\*



Heavy Duty Wheels



#### Nanuk 935/938

N-Cubik 13 S,M,L and 17 S,M,L Tech Pouches T1, T2, T3




\* Equipment not included

## LINE REFERENCE - SPECIFICATIONS

	Interior Dimensions	Exterior Dimensions	Weight Empty	Colors	Baggage	Retractable Handle	Wheels
960	L22.0" × W17.0" × H12.9" L559mm × W432mm × H328mm	L25.4" × W20.0" × H14.5" L645mm × W508mm × H368mm	19.2 lb 8.7 kg	••••	Checked	•	•
962	L28.0" × W16.5" × H9.3" L711mm × W419mm × H236mm	L31.1" × W19.5" × H11.1" L790mm × W495mm × H282mm	21.2 lb 9.62 kg	••	Checked	•	•
963	L29.0" × W18.1" × H10.5" L737mm × W460mm × H267mm	L32.5" × W21.1" × H12.5" L826mm × W536mm × H318mm	22.5 lb 10.2 kg	•	Oversized	•	•
965	L29.0" × W18.1" × H14.1" L737mm × W460mm × H358mm	L32.5" × W21.1" × H15.9" L826mm × W536mm × H404mm	25.05 lb 11.36 kg	•	Oversized	•	•
968	L21.5" × W21.5" × H11.8" L546mm × W546mm × H300mm	L25.0" × W24.7" × H13.6" L610mm × W627mm × H345mm	21.6 lb 9.8 kg	•	Oversized	•	•
970	L24.0" × W24.0" × H14.2" L610mm × W610mm × H361mm	L27.5" × W27.2" × H16.0" L699mm × W691mm × H406mm	26.5 lb 12.0 kg	•	Oversized	•	•
975	L30.0" × W21.0" × H18.0" L762mm × W533mm × H457mm	L33.5" × W24.3" × H19.7" L851mm × W617mm × H500mm	32.2 lb 14.6 kg	•	Oversized	•	•
975W	L30.0" × W21.0" × H18.0" L762mm × W533mm × H457mm	L33.5" × W24.3" × H19.7" L851mm × W617mm × H500mm	30.6 lb 13.9 kg	•	Oversized		•
975T	L30.0" × W21.0" × H18.0" L762mm × W533mm × H457mm	L33.5" × W24.3" × H19.7" L851mm × W617mm × H500mm	28.5 lb 12.7 kg	•	Oversized		
976	L31.0" × W26.0" × H15.8"	L34.0" × W29.0" × H17.8"	36.6 lb	_	Oversized		
910	L787mm × W660mm × H400mm	L864mm × W737mm × H451mm	16.6 kg	•	Oversized		₩.
Long Case	L787mm × W660mm × H400mm	L864mm × W737mm × H451mm	16.6 kg		Oversized	•	
	L787mm × W660mm × H400mm	L864mm × W737mm × H451mm  L29.9" × W16.2" × H7.3"  L760mm × W412mm × H186mm	16.6 kg 10.8 lb 4.9 kg	•••	Oversized	•	
Long Case	L787mm × W660mm × H400mm  S  L26.9" × W13.3" × H6.2"	L29.9" × W16.2" × H7.3"	10.8 lb	•••	Commission of the Commission o		•
Long Case 980	L787mm × W660mm × H400mm  L787mm × W660mm × H400mm  L26.9" × W13.3" × H6.2" L683mm × W338mm × H157mm L36.6" × W14.5" × H6.0"	L29.9" × W16.2" × H7.3" L760mm × W412mm × H186mm L39.8" × W17.3" × H6.6"	10.8 lb 4.9 kg 15.3 lb		Oversized		•
Long Case 980 985	L787mm × W660mm × H400mm  L26.9" × W13.3" × H6.2" L683mm × W338mm × H157mm L36.6" × W14.5" × H6.0" L930mm × W368mm × H152mm L41.8" × W13.6" × H12.5"	L29.9" × W16.2" × H7.3" L760mm × W412mm × H186mm L39.8" × W17.3" × H6.6" L1010mm × W440mm × H168mm L44.9" × W16.3" × H13.6"	10.8 lb 4.9 kg 15.3 lb 6.9 kg 24.0 lb	••	Oversized Oversized		•
Long Case 980 985 988	L787mm × W660mm × H400mm  L26.9" × W13.3" × H6.2" L683mm × W338mm × H157mm L36.6" × W14.5" × H6.0" L930mm × W368mm × H152mm L41.8" × W13.6" × H12.5" L1060mm × W346mm × H318mm L44.0" × W14.5" × H6.0"	L29.9" × W16.2" × H7.3" L760mm × W412mm × H186mm L39.8" × W17.3" × H6.6" L1010mm × W440mm × H168mm L44.9" × W16.3" × H13.6" L1140mm × W413mm × H344mm L47.1" × W17.3" × H6.6"	10.8 lb 4.9 kg 15.3 lb 6.9 kg 24.0 lb 10.9 kg 17.8 lb	••	Oversized Oversized Oversized		•
980 985 988 990	L787mm × W660mm × H400mm  L26.9" × W13.3" × H6.2" L683mm × W338mm × H157mm L36.6" × W14.5" × H6.0" L930mm × W368mm × H152mm L41.8" × W13.6" × H12.5" L1060mm × W346mm × H318mm L44.0" × W14.5" × H6.0" L1118mm × W368mm × H152mm L44.6" × W17.1" × H8.4"	L29.9" × W16.2" × H7.3" L760mm × W412mm × H186mm L39.8" × W17.3" × H6.6" L1010mm × W440mm × H168mm L44.9" × W16.3" × H13.6" L1140mm × W413mm × H344mm L47.1" × W17.3" × H6.6" L1196mm × W440mm × H168mm L47.8" × W20.1" × H9.5"	10.8 lb 4.9 kg 15.3 lb 6.9 kg 24.0 lb 10.9 kg 17.8 lb 8.1 kg 24.0 lb	••	Oversized Oversized Oversized Oversized		•
980 985 988 990 991	L787mm × W660mm × H400mm  L26.9" × W13.3" × H6.2" L683mm × W338mm × H157mm L36.6" × W14.5" × H6.0" L930mm × W368mm × H152mm L41.8" × W13.6" × H12.5" L1060mm × W346mm × H318mm L44.0" × W14.5" × H6.0" L1118mm × W368mm × H152mm L44.6" × W17.1" × H8.4" L1131mm × W435mm × H212mm L52.0" × W14.5" × H6.0"	L29.9" × W16.2" × H7.3" L760mm × W412mm × H186mm L39.8" × W17.3" × H6.6" L1010mm × W440mm × H168mm L44.9" × W16.3" × H13.6" L1140mm × W413mm × H344mm L47.1" × W17.3" × H6.6" L1196mm × W440mm × H168mm L47.8" × W20.1" × H9.5" L1212mm × W511mm × H241mm L55.1" × W17.3" × H6.6"	10.8 lb 4.9 kg 15.3 lb 6.9 kg 24.0 lb 10.9 kg 17.8 lb 8.1 kg 24.0 lb 10.9 kg 21.6 lb	••	Oversized Oversized Oversized Oversized Oversized		•
980 985 988 990 991 995	L787mm × W660mm × H400mm  L26.9" × W13.3" × H6.2" L683mm × W338mm × H157mm L36.6" × W14.5" × H6.0" L930mm × W368mm × H152mm L41.8" × W13.6" × H12.5" L1060mm × W346mm × H318mm L44.0" × W14.5" × H6.0" L1118mm × W368mm × H152mm L44.6" × W17.1" × H8.4" L1131mm × W435mm × H212mm L52.0" × W14.5" × H6.0" L1321mm × W368mm × H152mm L55.1" × W16.1" × H8.9" L1400mm × W409mm × H226mm	L29.9" × W16.2" × H7.3" L760mm × W412mm × H186mm L39.8" × W17.3" × H6.6" L1010mm × W440mm × H168mm L44.9" × W16.3" × H13.6" L1140mm × W413mm × H344mm L47.1" × W17.3" × H6.6" L1196mm × W440mm × H168mm L47.8" × W20.1" × H9.5" L1212mm × W511mm × H241mm L55.1" × W17.3" × H6.6" L1399mm × W440mm × H168mm L58.4" × W18.9" × H10.0"	10.8 lb 4.9 kg 15.3 lb 6.9 kg 24.0 lb 10.9 kg 17.8 lb 8.1 kg 24.0 lb 10.9 kg 21.6 lb 9.8 kg 28.0 lb	••	Oversized Oversized Oversized Oversized Oversized Oversized		•
980 985 988 990 991 995 996	L787mm × W660mm × H400mm  L26.9" × W13.3" × H6.2" L683mm × W338mm × H157mm L36.6" × W14.5" × H6.0" L930mm × W368mm × H152mm L41.8" × W13.6" × H12.5" L1060mm × W346mm × H318mm L44.0" × W14.5" × H6.0" L1118mm × W368mm × H152mm L44.6" × W17.1" × H8.4" L1131mm × W435mm × H212mm L52.0" × W14.5" × H6.0" L1321mm × W368mm × H152mm L55.1" × W16.1" × H8.9" L1400mm × W409mm × H226mm	L29.9" × W16.2" × H7.3" L760mm × W412mm × H186mm L39.8" × W17.3" × H6.6" L1010mm × W440mm × H168mm L44.9" × W16.3" × H13.6" L1140mm × W413mm × H344mm L47.1" × W17.3" × H6.6" L1196mm × W440mm × H168mm L47.8" × W20.1" × H9.5" L1212mm × W511mm × H241mm L55.1" × W17.3" × H6.6" L1399mm × W440mm × H168mm L58.4" × W18.9" × H10.0"	10.8 lb 4.9 kg 15.3 lb 6.9 kg 24.0 lb 10.9 kg 17.8 lb 8.1 kg 24.0 lb 10.9 kg 21.6 lb 9.8 kg 28.0 lb	••	Oversized Oversized Oversized Oversized Oversized Oversized		•



Case models are also available in recycled resin, black only.




#### ACCESSORIES 960 - T30

	60 Any	ine lid	Olega, Sag	70g	Story Story	D. Wil	nde shot	hit bir	08g	Scoon Sap
960	•	•	0	•	•			•	0	IG
962	•	•	0	•	•	•		•	0	•
963	0	•	•	•	•			•	•	•
965	•	•	0	•				•		•
968			0	•	•			0	0	
970	•	•	•	•	•			•	•	•
975	0	•		0	•	•			0	•
975W		•	0	•	•	•		0	0	•
975T	0	•							0	•
976	0		W. 3	•	•	•		0	•	•

980		•	•	•	•		•			•
985				IN	•			0	•	
988	•	•	0	•	•			0	0	•
990	0			IN	•			0	0	
991	0			•	•	•		0	0	•
995	0			IN	0			0	0	
996					•					•

T20	0	•	0		•	•	0	0	IG
T30		•		•		0	0	•	IG

IN = Included, IG = Integrated



# EXCLUSIVE ACCESSORIES

Nanuk 962

Mesh Lid Organizer\*



MOLLE System\*



Caster Kit 975/976



Top Loader Cases

Rigid Tray and Dividers





\* Equipment not included

#### CUSTOMIZATION

NANUK cases are designed to be easily customizable to meet every user's unique requirements. Choose from customized foam interiors, printing, panel designs and color matching to create the perfect carrying solution tailored to the specific needs of your project.

#### **Case Printing**

- · Affordable way to brand your case
- Display your logo or company message
- · High quality process ensures long-term durability
- · Print up to 2 colors

#### Foam Interiors

- · Fully customizable interior protection
- Protect expensive and delicate equipment
- Organize multiple parts into one mobile kit
- Different foam types and densities available

#### Panel Customization

- · Efficient OEM housing solution
- · Integrated panel mounts for easy installation of electronics and monitors
- Ideal solution for creating portable field kits







DEF-STAN 81-41 **STANAG 4280** 

Dry Heat / Low Temp Vibration / Water Spray-Rain Impact-Drop



MIL-STD-810H

High Temp / Low Temp Water Spray-Rain / Immersion Vibration / Transit Drop / Fungus



Dustproof Waterproof



Specifications **ATA 300** 

Category 1 Impact Test

## The NANUK™ Advantage

Indestructible NK-7 RESIN



- Stainless steel hardware

PowerClaw, Superior Latching System



- Soft grip foldable handle
  - Up to 10 available colors

All Terrain Polyurethane Wheels with Sealed Bearing (Depending on model)



- Integrated lid stay
- Padlockable Reinforced metal eyelets



LIFETIME WARRANTY



**MILITARY APPROVED** 



CRUSHPROOF



#### **North America** Headquarters

Nanuk Gear Protection Inc. 1059, Boulevard des Entreprises Ouest Terrebonne (Québec) J6Y 1V2 CANADA

Tel.: 450 628.1006 | 1800 783.6883 Email: info@nanuk.com www.nanukcases.ca

#### Nanuk Gear Protection Inc.

2915, Ogletown Road Newark, Delaware, 19713 USA

Tel.: 450 628.1006 | 1800 783.6883 Email: info@nanuk.com www.nanuk.com

#### NANUK EU B.V. NANUK Europe

Burg. J.G. Legroweg 96 9761 TD Eelde The Netherlands

Tel: +31 50 3128694 Email: info@nanuk.eu www.nanuk.eu